

The AMILO A1650G notebook offers all-round mobile computing with an excellent price/performance ratio. Strong graphics and a Widescreen display, as well as an AMD Turion<sup>TM</sup>64 Mobile Technology Processor are all combined into an amazing visual experience. The preinstalled software enables you to start working, playing, surfing the Internet or watching a film at once. Connect all sorts of devices to the notebook using one of the 3 USB 2.0 ports, IEEE 1394 Firewire, the 3-in-1 cardreader or the S-Video out. The integrated WLAN connects you to your network from any place as long as you are in reach of an Access point without having to deal with any cables. The fan noise can be reduce to only 25dB using a special "Silent Mode".

## Features

- AMD mobile technology with Turion<sup>TM</sup>64 Mobile Technology ML30
- Enjoy the viewing quality of the wide 15.4" WXGA LCD display
- Connect your notebook to external storage devices and video equipment through the IEEE 1394 port offering transfer rates of up to 400Mbits/sec
- ATI Mobility Radeon Xpress 200 with up to 128 MB shared memory supporting Pixel Shader V2.0
- Reducing the fan noise to a minimum by using "Silent Mode",

- Memory card slot for Multimedia Card, Secure Digital Card and MemoryStick
- 512 MB DDR SDRAM in 2 SO-DIMM slots
- Windows XP Home and Application Software



Windows XP Home, Recovery CD is included

Fujitsu Siemens Computers recommends Microsoft® Windows® XP.

### **Application Software**

- Works 8.0 or a)
- b) Works 8.0 with Office Trial Student & Teacher Edition

Magix Media Suite (optional) Sipgate (optional) Norton Internet Security 2005 or Norman Anti-Virus

#### **DVD Playing & Burning Software**

InterVideo WinDVD Nero burning ROM 6

#### **Driver & Utility CD including**

Drivers, Online Manual, Adobe Acrobat Reader Quick Touch application button utility

## Internet Service Providers - country specific

Manual, Safety Guide and Warranty Guide

System, processors, architecture	
Chipset:	Northbridge: ATI RS480
	Southbridge: ATI SB400
CPU:	Mobile AMD Turion <sup>™</sup> Mobile Technology
	ML30 / 35W / 64 Bit / 1.6 GHz / 1024 KB
Memory	
2x 256MB DDR 333 SDRAM, (DDR 333 MHz)	
2 SO-DIMM memory slots (no memory on board)	
Storage devices / drives	
HDD: 60 or 80 GB IDE hard disk	
<b>ODD:</b> Multi format DVD burner with double layer support	
CD 24x / CD-R 24x / CD-RW 20x / DVD 8x / DVD+R 8x	
DVD-R 8x / DVD+RW 8x / DVD-RW 6x	
DVD+R DL 4x/ DVD-R DL 4x	
Display:	
Crystal View	
15.4" TFT WXGA, 1280 x 800 pixel	

TET WXGA, 1280 X 800 pixel Compliance with standards ISO 13406-2 class II

#### **ACPI** functions

S1 LCD off S3 stand by S4 hibernate S5 soft off

## Graphics:

ATI MOBILITY Radeon Xpress 200 Up to 128MB RAM shared memory

I/O Interfaces 1x IEEE1394 4x USB 2.0 ports 1x S-Video 1x CRT, 1x modem 1x LAN 3 in 1 flash card port SD/MS/MMC 1x type II PC Card slot (32 bit CardBus support) 1x line in, 1x headphone out shared with SPDIF, 1x microphone in, 1x power supply Communications Built-in 56K, V.92 international modem 10/100 Mbps LAN integrated Wireless LAN (IEEE 802.11b/g) solution: Industry standard wireless LAN security support Speeds up to 54 Mbps For use in BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY, NL Audio AC97 codec, 2 built-in speakers, built-in microphone, microphone in, headphone out shared with S/PDIF support 1x volume regulator (per function key and per wheel)

#### Launch Keys

3 Launch Keys located on top of the keyboard enabling the user to launch the following applications:

- **WLAN**
- Internet browser

Fan control/silent mode

#### Hot Keys

The notebook uses hotkeys or key combinations for:

Fn-F1 help hotkey

- Fn-F2 puts the computer in sleep mode
- Fn-F3 display toggle, switches display output between display screen and external monitor or to dual view
- Fn-F4 screen blank, turns the display screen backlight off to save power
- Fn-F5 speaker on/off
- volume down Fn-F6
- Fn-F7 volume up
- Fn-F8 screen brightness down
- Fn-F9 screen brightness up
- Fn-F10 WLAN on/off
- Fn-PgUp home
- Fn-PgDn end

## Pointing device & control buttons

Touchpad with a left and right mouse button Power button / lid switch

# Status indicators

The notebook has 7 status icons: Wireless communication, Caps lock, Num Lock, standby,

Media activity (ODD/HDD), power status, charge

#### Security

Supervisor password

Kensington lock support

All rights, including rights created by patent grant or registration of a utility model or design as well as rights of technical modifications are reserved. Delivery subject to availability. Designations may be trademarks, the use of which by third parties for their own purposes may violate the rights of the trademark owners

Fuiitsu Siemens Computers

Company stamp

http://www.fujitsu-siemens.com/

Published by

Power system Li-Ion battery, 6 cells, 3.6V / 2200mAh approximately 2:30 hrs battery runtime, depending on usage<sup>1</sup> Dynamic charge supported, ACPI 2.0 supported External universal AC adapter: 110 – 264 V AC, 47 – 63 Hz, output: 65 W/90W with 20 V

### Dimensions and weight 359 mm (W) x 273 mm (D) x 34 (H)mm 3.20 kg<sup>2</sup>(with 15.4" WXGA, Li-Ion battery, HDD, DVD drive)

## **Operating conditions**

Operational:  $5^{\circ}$  to  $35^{\circ}$  (ambient temperature) 20% to 85% relative humidity, non-condensing AC input 110 - 264 V, 47 - 63 Hz

Warranty Country specific terms Options AC adapter USB Floppy Drive

<sup>1</sup>) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage.

Published by

Fujitsu Siemens Computers http://www.fujitsu-siemens.com/

<sup>2</sup>) Weight may vary depending on actual configuration

All rights, including rights created by patent grant or registration of a utility model or design as well as rights of technical modifications are reserved. Delivery subject to availability. Designations may be trademarks, the use of which by third parties for their own purposes may violate the rights of the trademark owners. Company stamp